

# **Emergency Preparedness:**Preparing for the Unanticipated

An emergency preparedness plan for water utilities





# copyright statement

# **Table of Contents**

Chapter 1:	Introduction to Emergency Preparedness
What	s Emergency Preparedness?1 – 1
Why is	Emergency Planning Important?1 – 1
Purpo	se of the Emergency Preparedness Model Plan1 – 1
Who S	Should Initiate an Emergency Response?1 – 2
Formi	ng an Emergency Response Team1 – 2
Basic	Emergency Responsibilities1 – 2
Basic	Emergency Responsibilities Form1 – 3
Chapter 2:	Using this Model Plan to Develop an Emergency Plan
	Can This Model Plan Be Used in Every Utility or Community?2 - 1
	Supplier General Information Sheet Instructions2 - 3
	Supplier General Information Sheet2 - 4
	e Analysis Instructions2 - 6
	e <i>Analysis</i> Form2 - 8
Chantar 2	Cross Connection
Chapter 3:	Electric Power Failure
Chapter 4:	
Chapter 5:	Equipment Failure
Chapter 6:	Fire & Explosion
Chapter 7:	Flood
Chapter 8:	Hazardous Chemical Spill
Chapter 9:	Information Systems Failure
•	Medical
•	Personnel Succession
•	Terrorism/Vandalism
	Threats
Chapter 14:	Thunderstorm & Tornado
Chapter 15:	Water Contamination
<b>Chapter 16:</b>	Water Main Break
<b>Chapter 17:</b>	Water Shortage
<b>Chapter 18:</b>	Water Tower Icing
Chapter 19:	Workplace Violence
Chapter 20:	Implementing Emergency Planning
	ng Emergency Response Training20 - 1
	ng Plan Form20 - 2
	ucting Emergency Response Training20 - 3
	ing and Administering the Plan20 - 3
	nunicating the Plan to Others20 - 4

Appendix 1	lowa DNR Water Supply Directory
Appendix 2	Iowa DNR Field Office Locations
Appendix 3	County Emergency Management Coordinators
Appendix 4	A Utility Guide for Security Decision Making
Appendix 5	Have you Already Improved Security?
Appendix 6	Homeland Security Advisory System
Appendix 7	Regional Haz-Mat Team Coverage State Wide
Appendix 8	Improving the Security of Our Water Infrastructure
Appendix 9	Chemical Receiving Procedures
Appendix 10	Information Control
Appendix 11	Notification Call List
Appendix 12	Tour Guide Procedures
Appendix 13	Emergency Response Contractors
Appendix 14	lowa Department of Transportation Garages
Appendix 15	Spill Absorbent Information Sheet
Appendix 16	DNR Guidelines for Reporting Hazardous Conditions
Appendix 17	Water Supply System Security Checklist
Appendix18	Downstream Water Supplies
Appendix 19	VA and ERP Certifications
Appendix 20	Joint Collaboration Between NRWA and the Association of State Drinking Water Administrators
Appendix 21	Web Sites for VA and ERP
Appendix 22	Council Of Engineering Companies of Iowa

Appendix 23	State Wide Generator Suppliers
Appendix 24	Associated Builders and Contractors of Iowa
Appendix 25	Terrorism Definitions
Appendix 26	DNR Web Site and Water Security Web Site

# Place Index Divider Here Chapter 1 Introduction to Emergency Preparedness

## Chapter 1: Introduction to Emergency Preparedness

### What is Emergency Preparedness?

An *emergency* can be defined as an unanticipated event that calls for immediate action. Emergencies take on many forms: fire, flood, chemical spill, water main break, winter storm, or even a terrorist attack. Emergencies are almost never pre-planned and almost always require some action by someone. In the case of drinking water emergencies, the party most often required to act, or respond, is your water utility. *Preparedness* can be defined as having in mind actions for a particular event; knowing what to do in case a specific event occurs. So, *emergency preparedness* can be defined as: *to have in mind actions for unanticipated events that call for an immediate response*. Emergency preparedness for water utilities involves:

- recognizing the emergencies most likely to occur in your community,
- training employees on responses to be taken during and after these emergencies,
- identifying other resources to be called upon when needed, and
- communicating with your community about the impact the emergency will have on them and their role in the emergency process.

### Why is Emergency Planning Important?

Every water utility is in business to provide safe, quality drinking water to their community. Customers expect to receive high quality water -- even during emergencies. To meet these expectations, water utilities must prepare for situations that might prevent them from delivering the water their customers rely upon. Planning for emergencies and knowing how to respond in an emergency situation is just as important as hiring workers, preparing budgets, and all the other tasks performed every day to meet the needs of consumers.

### Purpose of the Emergency Preparedness Model Plan

The primary purpose of this emergency preparedness model plan is to promote advanced planning. It also is a guide, once completed, for utility personnel and community officials to follow *during* emergency situations. The model plan can also serve as a good starting point for developing documents that may be needed to meet other regulatory standards, such as Occupational Safety and Health Administration (OSHA) requirements for fire prevention planning, or a contingency plan for Superfund Amendment and Reauthorization Act (SARA Title III). This model plan is *not* intended to serve as a regulatory compliance document. Instead, it has been designed to help utilities think, plan, and prepare strategies for dealing with emergencies.

The second section of this model plan, *Using This Model Plan to Develop an Emergency Plan*, presents detailed instructions for completing a series of emergency forms. At first glance, the task to develop an emergency plan may seem pretty overwhelming, BUT DON'T STOP NOW! The instructions in the next section indicate which forms should be completed first, second, and so on. Take the process one step at a time. The sooner you complete your model plan, the more valuable it will be to your utility.

### Who Should Initiate an Emergency Response?

Beyond the expectations of customers, there are several other good reasons why water utilities must respond to emergency situations affecting their utility or community. Even though counties and states have far more resources available to respond, in a major emergency affecting a large area, these resources may already be committed to another community. Water utility personnel are knowledgeable about their community and the resources that are available to help. For these reasons, it is important for your utility to think about the people, materials, and equipment needed when an emergency does occur.

### Forming an Emergency Response Team

An Emergency Response Team should be formed using the current utility staff and others in the community such as the mayor, council members, board members, or citizen volunteers. One person may serve in more than one role, depending on the situation and the community, and there may be need to hire specialized personnel, depending on the emergency. Using the *Emergency Response Sheets* in this model plan, your community can identify in advance who these special resources may be and know how to contact them if their services are needed. Overall, in selecting the emergency response team, it is important to choose people who:

- are available to respond quickly,
- have knowledge in the area for which they are responsible, and
- are willing to work in a cooperative team environment.

### Basic Emergency Responsibilities

Several key responsibilities must be addressed in any emergency response. These responsibilities are described in the following table.

To hold the confidence of the community during an emergency, it is very important that a person be identified to fulfill each of the key responsibilities. The designated person should be aware of the tasks involved. Also, customers, community officials, and others involved in the emergency response should recognize that the specific person has been charged with these key duties.

Key Responsibilities	Basic Tasks to be Carried Out
Emergency Coordination  (Possible people: utility superintendent, mayor, city manager, or other community official)	<ul> <li>Serves as the utility's emergency authority; has approval to spend money on behalf of your utility</li> <li>Calls together the Emergency Response Team</li> <li>Works with the team to set priorities in the recovery process</li> <li>Coordinates efforts among utility, city, county, state, and federal agencies</li> <li>Provides leadership to the response team</li> </ul>
Public Communication  (Possible people: utility superintendent, mayor, city manager, council member, board member)	<ul> <li>Communicates with customers, employees, regulatory officials, and other community officials to keep them aware of the emergency efforts</li> <li>Coordinates involvement with media when needed</li> <li>Provides for communications equipment, such as cellular phones or portable radios</li> </ul>
Operations Management  (Possible people: utility superintendent, operator, consultant)	Coordinates all work activities to restore water service - includes both field activities and administrative activities, such as plant operations, plant maintenance, purchasing, human resources, and computer operations
Damage Assessment  (Possible people: utility superintendent, operator, consultant)	<ul> <li>Reviews damage caused by an emergency and summarizes damage information to utility and community officials</li> <li>Arranges for work with outside contractors or engineers to recover from an emergency</li> <li>Directs repairs done by outside agencies</li> <li>Coordinates with insurance carriers regarding damages/losses</li> </ul>

# Place Index Divider Here Chapter 2 Using This Model Plan to Develop an Emergency Plan

# Chapter 2: Using This Model Plan to Develop an Emergency Plan

### How Can This Model Plan Be Used In Every Utility or Community?

This model plan provides suggestions for emergency organizing, prioritizing, planning, and training. Simple template-style forms included in this section of the model plan require information from your utility or community and need to be completed as part of your utility's emergency preparedness effort. When all forms pertaining to your utility have been completed, this model plan can serve as an effective "first action" emergency plan. It will detail the critical information about your water utility necessary to recover from an emergency, prioritize the potential hazards for your utility, identify appropriate resources in your community to be called upon for specific emergencies, and list measures to keep the plan up-to-date and useful for your community.

Follow these steps to complete the model plan's forms:

- 1. Complete the *Water Supplier General Information Sheet* first. This form will provide basic information about your water utility and community which may be needed when communicating with others in an emergency situation. Include data necessary to contact the following individuals or groups 24 hours a day:
  - the Emergency Response Team members (the people who will perform each of the key responsibilities outlined);
  - the support agencies and personnel (such as police, County Emergency Coordinator, DOT) called upon to directly assist in recovering from the emergency;
  - other companies, vendors, suppliers, etc., frequently used by your utility;
  - the gas, power and general communication providers for your water utility;
  - the communities that have contracted with your water utility to provide mutual aid, emergency water, equipment or materials;
  - your utility's critical business and individual water users (such as hospitals or nursing homes). At a glance, the form will reveal facilities or individuals involved, the specific water needs, and information to contact them, again 24 hours a day.
- 2. Complete the *Failure Analysis* form. The completed form will help prioritize the severity of the emergencies likely to impact your utility or community. Include information about an emergency's frequency or duration (the more often a specific emergency occurs, or the longer it lasts, the higher priority it becomes), impact on health, property, and business, as well as your water utility's reliance upon internal and external resources to respond to each emergency. The priorities on the form will determine which hazards should be addressed in the final emergency preparedness plan, and in what order.
- 3. Complete the *Emergency Response Sheets* for each emergency applicable to your water utility (e.g. flood, thunderstorm, tornado, main break, etc.), according to the priority

established by the completed *Failure Analysis* form. Each particular emergency has a three-page set of forms to help prepare your utility. They are:

- Things to Consider Before an Emergency/Mitigation To Do List and the Emergency Response Sheet Instructions. This is a two-sided form. The Things to Consider Before an Emergency list should be used to stimulate discussion about each specific emergency. The questions have been developed to assist your utility in preparing the Mitigation To Do List, which is simply a list of things to do relating to your utility before an emergency occurs. For example, make sure fire extinguishers are checked on an annual basis, would be a notation on the Fire & Explosion Mitigation To Do List. The Emergency Response Sheet Instructions are a step-by-step guide for filling in the Emergency Response Sheet on the facing page.
- Emergency Response Sheet/Trouble Shooting Guide. This is also a two-sided form. Each Emergency Response Sheet contains information vital to your utility and community to respond quickly in case of that specific emergency. The information requested, such as names, telephone numbers, etc. may already be recorded in your files, and can just be transferred to the appropriate sheet. The Trouble Shooting Guide on the back side of each Emergency Response Sheet contains a series of Yes/No statements to help your utility determine the scope of each emergency and to think about the people, materials, and equipment that will be needed for response or recovery.
- Response/Recovery To Do List will help you prepare a list appropriate for your
  utility in response to, or to recover from, a specific emergency. For example, a
  water main break at your utility may require you to discontinue water service to
  several critical customers. On the corresponding Response/Recovery To Do List,
  you should note to restore water service to those customers, and check for further
  damage to the main.
- 4. Complete the *Training Plan* form. This form will outline the strategies for training employees and other members of the Emergency Response Team in their roles and responsibilities during an emergency. Include information about the individuals assigned to respond to each specific task in each particular emergency and the training they'll need to become proficient at each assigned task. Also include information about the trainer, the type of training that will be received, when it will occur, and how effective and informative the training session was (does the individual know what to do and how to do it).

When completing all forms, it is important to remember that enough information must be provided to allow someone in a back-up capacity to function in an emergency. The regular staff person or designated team member may be on vacation, ill, or otherwise unavailable when an emergency occurs.

# Water Supplier General Information Sheet Instructions

The Water Supplier General Information Sheet is to be used to list important information about the water utility, who to contact for direct response and support during an emergency, and to list your utility's critical water users.

In the *Utility name* section, fill in the appropriate response with regard to your water utility's:

- Public water supply ID number (PWSID) the Iowa Department of Natural Resources issues this number.
- Water source check the box that describes your utility's raw water source.
- Population served fill in the population number your utility serves.
- Water storage tank capacity enter storage capacity in gallons.
- Average daily pumpage enter the average daily pumpage in gallons per day.

In the *Treatment process* section check the applicable process types for your water utility.

In the *Emergency telephone notification listing* section, fill in the appropriate responses in as much detail as possible, including daytime and after-hours phone numbers for:

- Basic Emergency Response Team list the personnel who are employed by your utility or in the community who would be directly involved in responding to an emergency.
- Officials outside the utility list the support agencies and personnel who can be called for direct assistance in responding to recover from an emergency.
- Contracted services/supplies list the companies, vendors, lab services, contractors, suppliers frequently used by your utility.
- Utilities list the utilities that provide power, gas or general communication services for your water utility.
- *Mutual aid coordination* list the communities that have entered into an agreement with your water utility to provide equipment, water or materials in an emergency.
- Critical water users list the users in the service area that require a continuous water supply in an emergency. Also include what the water is used for and the volume that is needed.

# Water Supplier General Information Sheet

Utility name:						D	ate:				
Public water supply ID Water source					Water storage tank			Average daily pumpage			
number (PWS	ID)	-	ser	served		capacity (gallons)		(gallons per day)			
		□ Surface									
		Groundwater									
				atme	nt process						
Iron removal				No	Chlorination					Yes [	⊒ No
Coagulation, sed	imenta	tion, filtration		No	Fluoridation						l No
Softening				No	Other						l No
J		Fm			ne notification	on list	ina				
Positions		Name	Work		Pager		lular	Fax		Hoi	me
1 00.0.0				eraen	cy Response T			. 431			
Emergency				J. 901.	oy itoopenee i	Juin					
Coordination											
Public											
Communication											
Operations											
Management											
Damage											
Assessment											
			Officia	als ou	tside the utility	1					
Fire department					,						
'											
Police/Sheriff											
County											
Emergency											
Coordinator											
State Office of											
Emergency			515-281-32	231							
Management IDNR - Field											
Office											
Department of											
Transportation											
			Contrac	ted e	ervices/suppli	P.S.					
Plumber			Jointal	occu 3	c. 71003/3uppill						
T Idiliboi											
Electrician											
Man dein											
Well driller											
University											
Hygienic Lab			319-335-45	500							
(UHL)	l		1								

Contracted			
laboratory			

	Contracted services/suppliers								
Positions	Name	Work	Pager	Cellular	Fax	Home			
Engineering firm(s)									
Water storage tank									
manufacturer									
Property & casualty insurance									
Materials & equipment									
Chemicals									
Fuel									
			Utilities						
Iowa One-Call									
Power company									
Gas company									
Telephone									
Radio/Cellular									
		Mutual a	aid coordination	1					
Equipment									
Water									
Materials									
		Critica	al water users						
Health care									
Critical use:					Volume:				
Nursing home									
Critical use:		1			Volume:				
Public shelter									
Critical use:					Volume:				
Other									
Critical use:					Volume:				

The *Failure Analysis* is used to assess your utility's risk and ability to respond quickly in any emergency. Think about your operation, your community and surrounding communities to determine what types of emergencies your utility needs to plan for, what impacts those emergencies will have on your utility, and who to call for help.

In the *Emergency type* section, consider these four elements in your answers:

#### Historical

List the types of emergencies that have happened in the past -- fires, severe weather, power outages, hazardous material spills, water quality problems, etc. Think about the number of occurrences and identify hazards that have happened in nearby towns that could occur in your town, too.

#### Location

Consider the location of your facilities. Determine if they are located in areas that often flood or near companies that produce, store, use or transport hazardous materials.

### Physical facilities

Decide which buildings or structures could be affected. Think about what effects the emergency will have on telephone or radio communications, and computer systems.

#### Human error

Human error is the single largest cause of workplace emergencies and can result from poor training or by using equipment in the wrong way. Fatigue and stress can also contribute to human error.

In the *Frequency* section, rate the likelihood of each emergency happening, or the length of time each emergency will go on, using a scale of 1 to 5. Use a rating of 1 for emergencies that might occur infrequently, for example, once every 10-15 years. And, when they do occur, will only last for a short period of time. Use a 5 rating for emergencies that are very likely to occur, for example, one or more times every five years. Again, think about the duration of the emergencies. The extended loss of a critical piece of equipment, chemical feed system, or water storage may influence the frequency rating for a particular emergency.

In the *Health, Property and Business* sections, determine the impact the emergency has on your water utility's individual and commercial users, again using a scale of 1 to 5, with 1 having the lowest (or least destructive) and 5 having the highest (or most destructive) impact.

#### Health

If people might get sick, or even die, rate it a 5. If the emergency would put people out of water for 1-2 hours, rate it a 1.

#### Property

If property could be lost or destroyed, rate it a 5. If property has minor damage that can be repaired, rate it a 1. Think about the cost of replacing or repairing equipment, and the likelihood that your facility will need to be rebuilt following a particular emergency.

#### Business

If the emergency causes the business to close due to lack of water, rate it a 5. If the business is inconvenienced for 1-2 hours, rate it a 1.

In the *Internal resources* and *External resources* sections assess and list the individuals, groups and businesses where you can get assistance and support. Resources include both people and materials. Use the same rating scale of 1 to 5, with 1 being your strong resources, and 5 being your weak resources. In each case, determine if your utility can respond with your own employees, or if outside individuals are needed, also.

#### Internal resources

If your utility is able to respond to the emergency using its own staff and materials, even on a holiday weekend, rate it a 1. If your utility requires outside help to respond to the emergency, rate it a 5.

#### External resources

If it would require only 1-2 hours for the external resources to respond with materials or staff to the emergency, rate it a 1. If it would require more than 24 hours to obtain the outside resources to respond to the emergency, rate it a 5.

In a major emergency, it's important to remember that some of your external resources may be needed elsewhere, and may not be available to you right away.

In the *Index rating* section add each row (across) to determine the final rating for each emergency.

Finally, in the *Ranking* section, prioritize the emergency types in numerical order, beginning with the highest index rating as first priority, followed by the next highest index rating as second, etc.

# Failure Analysis

Emergency type	Frequenc y	Health	Property	Business	Internal resources	External resources	Index rating	Ranking
List by name	Low 1-5 High	Low Im	pact 1 - 5 Hiç	gh Impact	Strong 1	- 5 Weak	Total	1,2,3,

# Place Index Divider Here Chapter 3: Cross Connection

## Things to Consider Before an Emergency

### **Chapter 3: Cross Connection**

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Do you have a plumbing and cross connection control ordinance?
- What type of cross connection control program is in place (i.e. containment, isolation)?
- Is there a list of customers (such as clinics, hospitals, water-using industries) with potential backflow problems?
- Are there customers on private wells?
- Is there a systematic inspection of customers with backflow prevention devices on new and existing installations?
- Is training provided for cross connection control?
- Is there a public awareness and information program?
- Are you aware of any facilities using chemical treament systems that may be a cross connection hazard?

### Mitigation To Do List

Required Action:	
1. <u> </u>	
2.	
3	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	

### **Emergency Response Sheet Instructions**

**Cross Connection** 

As treated water is pumped from the treatment facility to the customer, it must be protected from contamination. One common means for such contamination is backflow of non-treated fluids through cross connection.

In the Cross connection control program section, indicate the control type that your municipality has in place.

In the *Testing laboratory* section, enter the name, telephone number and address of the independent lab that your utility uses for testing and sampling.


In the *Customers with potential source of backflow* section, list those customers who have a cross connection control device. Also list the type of contamination possible.

In the *Backflow devices in utility* section, list the types, locations, and dates of installation for all devices.

In the *Active private wells* section, list those customers who have direct access and use private wells in conjunction with the public water supply.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.

### **Emergency Response Sheet**



## **Cross Connection**


Cross connection control program		Testing laboratory							
☐ Containment☐ Isolation		Nar	ne	Telephone				Address	
□ ISOIAUOTI		_							
Customers with potential source of backflow									
Name			Address	Telephone	٦	Гуре of insta	device lled	Type of contamination	
			Backflow	devices in utility	:V				
Туре	)		Location			Date installed			
			Activ	e private wells					
Nam	e		ACTIV	Location			Teler	phone	
. Tain				Location			1 0.0	3110110	



WATER UTILITIES HAVE THE RESPONSIBILITY TO ENSURE THAT THE WATER SUPPLY IS PROTECTED FROM CONTAMINATION THROUGH THE TREATMENT PLANT AND WATER DISTRIBUTION SYSTEM. BECAUSE UTILITIES USUALLY CANNOT CONTROL WATER SYSTEMS AND USAGES ON PRVATE PROPERTIES, A CROSS CONNECTION CONTROL PROGRAM IS IMPORTANT.

contamination

hazard REMEMBER SAFETY FIRST



# Response/Recovery To Do List

### **Cross Connection**

Required Action:
1
2
3
4
5
6
7
0
<b>3</b>
10
11
Comments:

# Place Index Divider Here Chapter 4 Electric Power Failure

## Things to Consider Before an Emergency

### Chapter 4: Electric Power Failure

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Where is the on-site main power disconnect?
- What are the power sources and their location?
- Is standby or duplicate power source available?
- What measures can be taken to protect on-site power source?
- Do motors have automatic shutdown to avoid voltage or phase fluctuation that may cause damage?
- If a generator is the standby power source, where is it stored?
   Who knows how to operate the generator?
- Is there a lock-out/tag-out program?

## Mitigation To Do List

equired Action:	
1.	
2.	
3.	
4	
5	
6.	
7.	
8.	
9.	
0.	
1. <u> </u>	

### **Emergency Response Sheet Instructions**

### **Electric Power Failure**

Pumps, motors, and other water system equipment depend on electrical power to operate. Electrical power components such as above ground lines, switchgear, transformers, and circuit breakers are vulnerable to numerous disasters. Voltage and phase fluctuations may damage motors. Downed power lines can create access problems. You may want to contact your electric power company to help fill in the top section of this form.

In the *Power supply* section, indicate if the power supply is three (3) phase or single phase.

In the *Primary volts* section, fill in the voltage for the primary side of the transformer.

In the Secondary volts section, fill in the voltage for the secondary side of the transformer.

In the *Primary fuse/breaker (amps)* section, list the primary or high service amperage listed on the transformer.

In the Secondary service (amps) section, list the secondary or low service amperage listed on the transformer.

In the Circuit number section, enter the circuit number or service number for your facility.

In the *Customers on same service*, list those customers who are connected to each of the phases serving your facility.

In the *Diagram of electric service* section, make a sketch that reflects your utility's electrical service.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.



## **Electric Power Failure**


Power supply	Primary volts	Secondary volts		Primary fuse/breaker (amps)	٤	condary service (amps)	Circuit number
3 phase							
☐ single phase							
Customers on same service							
Phase A			Phase B				Phase C
Name			Name			Name	
Address			Address			Address	
Telephone number			Telephone number			Telephone n	umber

Diagram of electric service	service line  breaker box or service disconnect pump house or plant	power plant





TO REDUCE THE RISK OF ELECTRIC SHOCK AND FIRE, USE EXTREME CAUTION . . . ELECTRICITY CAN BE DANGEROUS. DO NOT ATTEMPT TO SERVICE EQUIPMENT BY YOURSELF. OPENING OR REMOVING COVERS MAY EXPOSE YOU TO DANGEROUS VOLTAGE OR OTHER HAZARDS. IF YOU ARE UNFAMILIAR WITH THE ELECTRICAL SYSTEM, PLEASE CONTACT QUALIFIED SERVICE PERSONNEL.



# Response/Recovery To Do List

### **Electric Power Failure**

la sudua di Antinus	
equired Action:	
1	
<u> </u>	
3.	
4.	
5.	
5	
6	
7	
δ	
ə. <u> </u>	
0	
1.	
comments:	
omments:	

# Place Index Divider Here Chapter 5 Equipment Failure

## Things to Consider Before an Emergency

### Chapter 5: Equipment Failure

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Is critical equipment inspected at least once a month?
- Is a log card or record system used to detail inspections, maintenance required, and the general operating condition of each piece of critical equipment?
- Are the following items checked during a motor and pump inspection?

Cleanliness

Alignment and balance

Temperature, lubrication

Bearings, vibration, noise, current

Connections, switches, circuitry

(Are electrical circuits de-energized and "locked out" before any inspection and maintenance is performed?)

- Are the critical parts of the water treatment processes, which can fail, known (i.e. iron removal, filtration, chlorination)?
- What replacement parts are needed for major components in critical equipment?
- Do you have replacement equipment and parts on hand? If not, are they readily available? (Overnight availability may be sufficient.)

### Mitigation To Do List

Required Action:	
1. <u> </u>	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	

#### **Equipment Failure**

Equipment such as pumps, motors and chemical feeders are vital in the operation of providing quality drinking water. In order to ensure equipment reliability, a preventive maintenance program should be set up for each piece of equipment. In addition to the preventive maintenance program, detailed records on major parts, who supplies these parts in inventory, and their availability should be maintained.

In the *Critical equipment* section, list the location of the equipment, the location of the equipment manual, the equipment's manufacturer, make, model, type and capacity of each piece of equipment.




# Equipment Failure

	Criti	cal equipment	
	Equipment piece #1	Equipment piece #2	Equipment piece #3
Name of equipment			
Location of			
equipment Location of			
equipment manual			
Manufacturer			
Make			
Model			
Туре			
Capacity			
	Criti	cal equipment	
	Equipment piece #4	Equipment piece #5	Equipment piece #6
Name of equipment			
Location of			
equipment			
Location of			
equipment manual			
Manufacturer			
Make			
Model			
Туре			
Capacity			

FOLLOW PROPER LOCK-OUT AND TAG-OUT PROCEDURES. IF EQUIPMENT IS IN A WELL OR PIT, FOLLOW PROPER CONFINED SPACE SAFETY PROCEDURES.

REMEMBER SAFETY FIRST

shock hazard



# Response/Recovery To Do List

### **Equipment Failure**

Required Action:	
1.	
2.	
3	
4	
5	
6	
7	
0	
<del>3</del>	
10	
11	
Comments:	

# Place Index Divider Here Chapter 6 Fire & Explosion

## Things to Consider Before an Emergency

#### Chapter 6: Fire & Explosion

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Has your facility been inspected by local fire department officials to identify potential fire hazards? Is there a list of all chemicals that are stored or used in your facilities? Where is this list stored?
- Are Material Safety Data Sheets (MSDS) available for each chemical used on site?
   Are employees aware of these chemicals and know where they are stored?
- Is Right-to-Know labeling posted for chemical storage?
- Have personnel been trained on the proper use of fire extinguishers and do they know the location of all fire extinguishers? Are routine checks performed to make sure the fire extinguishers are operable?
- Has an evacuation plan been prepared for each facility in an event of a fire? Is the plan posted in a place for all employees to see?
- Do you know the water pressure or flow rate at each fire hydrant at the plant or pump house?
- Do you know where your gas shut-off valve and electric disconnect are for each facility?

# Mitigation To Do List

equired Action:
1.
2.
3.
4.
5.
6.
7.
8.
9.
0.
1.


Fire & Explosion

Any employee observing smoke or fire should notify other building occupants and evacuate the building immediately. Measures should be taken to insure everyone has vacated the building. Once outside, notify the fire department. Due to toxic fumes, employees should move to a designated area away from smoke.

In the *Telephone numbers* section of the *Emergency Response Sheet*, determine whether your utility is located within the 911 emergency access area. If it is not, fill in the appropriate telephone number for the fire, ambulance, sheriff and police departments for your area.

For each *Facility* section, list the location, associated water pressure, and flow of each hydrant. Next, list the location of the gas shut-off valve and electric disconnect for each facility. Then list the names of all chemicals stored on-site, as well as the location and quantity of each.


In the *Diagram of evacuation routes, shut-off valve and electrical disconnect locations* section, draw a sketch of your facilities that indicates evacuation routes, locations of gas shut-off valves and electric disconnects, and the chemical storage locations.



# Fire & Explosion

			Tele	phor	ne numb	ers					
She	riff		Police			Fire		Ambulance			
911 OR		911 OR	11 OR 9			911 OR			OR		
Facility:											
	Hydrants		Uti		Chemicals stored						
Location	Pressure	Flow	Shut-off valve location	disc	lectric connect cation	Chemical name	Quant	ity	Location		
Facility:											
	Hydrants		Utilities			Chemicals stored					
Location	Pressure	Flow	Shut-off valve location	disc	lectric connect cation	Chemical name	Quant	ity	Location		
Facility:											
Hydrants Utilities Chemicals stored						ored					
Location	Pressure	Flow	Shut-off valve location	disc	lectric connect cation	Chemical name	Quant	ity	Location		


Diagram of evacuation routes, shut-off valve and electrical disconnect locations



**CAUTION** 



WHEN A FIRE ALARM SOUNDS OR A FIRE IS OBSERVED, NOTIFY OTHER BUILDING OCCUPANTS AND EVACUATE THE BUILDING IMMEDIATELY. REMAIN AT A SAFE DISTANCE AND DOWNWIND FROM THE FIRE. DO NOT ATTEMPT TO PUT THE FIRE OUT OR GO BACK INTO THE BUILDING UNLESS IT IS DEEMED SAFE TO DO SO.



# Response/Recovery To Do List

## Fire & Explosion

Deguired Action	
Required Action:	
1	
Z	
J	
4. <u> </u>	
5	
6	
7	
8.	
9.	
10.	
11.	
Commonto	
Comments:	

# Place Index Divider Here Chapter 7 Flood

## Things to Consider Before an Emergency

Chapter 7: Flood

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- What is the history of flooding in your area?
- What is the elevation of your facility in relation to stream and river levels?
- What is the elevation of the top of the well casing and how do you protect the well if it is in the flood plain?
- Is power source located in the flood plain and what measures are in place to protect it?
- Does staff know where to shut off power to each facility in the event the facilities are flooded?
- What equipment and materials (i.e. sand, sandbags, sump pumps) are needed to protect your facilities? At what water level are these operations required?
- Do you know the location, type and number of turns for critical isolation valves in the flood plain? How will they be operated during high water?
- How will chemicals and other supplies be delivered to your utility in a flood?
- Are there underground tanks in the flood plain that will need to be filled to prevent tank damage from flotation?
- Do you know what people are available to assist you with flood recovery?

# Mitigation To Do List

Required Action:
1.
2.
3
4
5
6.
7.
8.
9.
0.
1.

Flood

If flooding is predicted following heavy thunderstorms or winter snow thaws, flood elevations should be monitored with the assistance of the sheriff/police and the National Weather Service. Constant monitoring of river or stream elevations will determine the procedures necessary to take for protection of property and personnel. In preparation for a flood, protection of facilities and equipment should begin early. All records and equipment, which can be moved, should be relocated to a higher location if they risk being flooded. Equipment and materials needed to combat flooding should be brought to the site.

In the *Rivers/Streams* section, record the rivers/streams that can flood on-site facilities and known flood stages for each.

In the *Monitoring* section, list the location of the monitoring device and method of monitoring (telephone and number, manual read, etc.).

In the *Structures* section, list the facilities that are in the flood plain and the known elevations, and list if they have sump pumps that need monitoring for high groundwater.

In the *Telephone numbers* section, fill in the telephone numbers of the agencies listed.

In the *Mobilization* section, list the people who would be notified to assist in protective measures, such as sandbagging operations or moving equipment and supplies to a safe area, and so on. The *Task assignment* section is to be filled in with the protective measure tasks assigned to that individual or group.

The *Critical valves* section is to be used to list the valves that would need to be operated during flooding conditions. These may be located near rivers or streams.

In the *Location of facilities and valve locations* section, draw in the river or streams that are prone to flooding, and draw in the facilities that would be affected by the flooding. Also include the major isolation valves.


#### **Emergency Response Sheet**



# Flood

Rivers/streams				Monitoring			
Name		Flo	Flood stage		Site		Method
	_						_
	Structu	res			Telepho	one n	umbers
Location	Elev	/ation	Sump pum	ηp	National Weather Service		
			□Yes □N	lo	USGS		
			□Yes □N	b	Corps of Engineers		
			Mobi	liza	tion		
Name	Name		e Office		Task assignment		ınment
			Critica	al va	alves		
Location	Location		oe .		Number of turns		Direction of turns
							_
							_

# Location of facilities and valve locations




CAUTION

flood hazard

FLOOD WATERS ARE EXTREMELY DANGEROUS BECAUSE OF STRONG CURRENTS AND DEBRIS. USE EXTREME CAUTION WHEN ENTERING FLOOD WATER.

REMEMBER SAFETY FIRST

# **Trouble Shooting Guide**



# Response/Recovery To Do List

Flood

Required Action:	
1	
۷	
3	
4	
5	
6	
7	
8.	
8 g	
9	
10	
11	
Comments:	

# Place Index Divider Here Chapter 8 Hazardous Chemical Spill

## Things to Consider Before an Emergency

#### Chapter 8: Hazardous Chemical Spill

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Has the staff been trained in the proper use and hazard of each chemical?
- Is each facility identified as to the types of chemicals stored?
- Is there a facility layout sketch that shows where the chemicals are stored, including quantities?
- Does your utility or community have spill response equipment?
- Has the fire department been briefed on the types and quantities stored, and do they have a sketch of facilities?
- Is there a spill response program in place? Has staff been trained on how to respond to a spill?
- How is your utility notified if a chemical spill occurs?
- Do you know the hazardous chemicals used in your community which could pose a threat to your utility?

# Mitigation To Do List

Required Action:
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
I1 <mark>.</mark>

#### Hazardous Chemical Spill

A chemical spill does not have to occur on-site to pose a threat to your utility. You need to be aware of the transportation routes and businesses that are adjacent to or near your facilities. When an on-site spill occurs, identify the substance and quantity without endangering employee health and safety.

In the *Telephone number* section, enter the telephone numbers for the fire department, the sheriff/police, and the County Emergency Coordinator. Also, the Iowa Department of Natural Resources needs to be notified in the event of a spill. The National Response Center is a federal agency that can provide assistance. Chemtrec is a private agency that can provide technical information regarding chemical handling.

In the *Chemicals in use* section, list the chemicals on hand, their location, quantity, hazard potential, the type of personal protection equipment required and any special instructions regarding those specific chemicals.

In the *Chemical locations* section, diagram where your chemicals are stored, what they are, and how much of each is stored there.



# **Hazardous Chemical Spill**

			Teleph	one numbers			
Fire department			Sł	neriff/Police	County Emergency Coordinator		
	IDNR		National	Response Center	Chemtrec		
515-	-281-8694		1-80	00-424-8802	1-800-424-9300		
			Chem	nicals in use			
Chemical	Location	Type of storage	Potential type of release	Personal protective equipment recommended	Special instructions		

# Chemical locations Parts weath tank Fabrication Shop East storage | Barriannable cylinders cylinders | Sacylinders | Sacylinde


#### CAUTION



AS A RESULT OF A SPILL, TOXIC VAPORS OR GASES COULD BE GENERATED. STAFF SHOULD MOVE UPWIND TO AWAIT FURTHER INSTRUCTIONS AFTER NOTIFICATION OF APPROPRIATE PERSONNEL. DO NOT ATTEMPT TO CONTAIN THE SPILL IF YOU ARE NOT QUALIFIED TO DO SO.

REMEMBER SAFETY FIRST

# **Trouble Shooting Guide**



<sup>\*</sup>These may include board chair, mayor, council members, utility managers, IDNR, etc.

# Response/Recovery To Do List

# Hazardous Chemical Spill

Required Action:	
1	
2	
3	
4	
5.	
5 6	
6	
7	
8	
9	
10	
11	
Comments:	

# Place Index Divider Here Chapter 9 Information Systems Failure

## Things to Consider Before an Emergency

#### Chapter 9: Information Systems Failure

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Is your control system physically isolated from external access? It is strongly suggested your control system be normally disconnected from external access.
- Is staff trained to identify suspicious control system behavior?
- Is there ability to and can your staff operate the water system manually?
- Are procedures in place for backing up the control system software regularly? Is the back-up medium stored off-site in a secured location?
- Are alarms in place to alert operators of system malfunctions, personal computer or other equipment failures?

## Mitigation To Do List

Requ	uired Action:
1.	
2.	
3.	
4	
5	
6	
7	
8	
9	
10	
11.	

#### Information Systems Failure

Information systems encompass personal computers, networks, automated control systems, programmable logic controllers and signal transmitting devices. Frequently these devices are connected to remote devices allowing the exchange of critical data which control pumps, chemical feeds, valves and other equipment.

When an information system device fails it may or may not send an alert to your operator. Employees should be trained to recognize and evaluate abnormal system behavior. If at all possible immediately switch the process to manual operation. Begin troubleshooting the system to find the failure.

It is critical to have back-ups made of the programming and software of control systems. The back-ups should be conducted regularly and immediately after major changes to the system. The back-ups should be stored off-site in a secured location.

The failure of an information system can occur due to the aging of equipment, computer related viruses or from hackers entering your system. It is extremely important to have all systems disconnected from external access such as the internet, until remote access is required by authorized persons.

In the *Telephone numbers* section, complete the information for Automated Systems Control vendors and the location of back-up medium.

#### **Emergency Response Sheet**



# Information Systems Failure

Telephone numbers							
Automated Control Systems Vendor							
Name of company Contact's name Work phone number Home phone numb							
Software Back-up							
Name of Person	Location of Back-up	Name	Location				

**CAUTION** 

REGULARLY BACK-UP YOUR COMPUTER OPERATING SYSTEM AND ALL SOFTWARE. STORE THE BACK-UP IN AN OFF-SITE SECURED LOCATION.




BE PREPARED TO OPERATE A SYSTEM MANUALLY SHOULD A FAILURE IN THE CONTROL SYSTEM OCCUR.

HACKERS

NEVER HAVE A DIRECT CONNECTION ALLOWING EXTERNAL ACCESS TO YOUR CONTROL SYSTEM. PHYSICALLY CONNECT TO THE REMOTE ACCESS SOFTWARE PRIOR TO EACH TIME ACCESS IS REQUIRED.

# **Trouble Shooting Guide**



# Response/Recovery To Do List

# Information Systems Failure

Required Action:		
1		
2.		
3		
4		
5		
6		
7		
8		
9		
10		
11		

Comments:	

# Place Index Divider Here Chapter 10 Medical

## Things to Consider Before an Emergency

Chapter 10: Medical

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Are first aid kits installed in facilities and equipment?
- Are staff trained in first aid/CPR?
- Does your staff know to provide the following information when calling for medical assistance:
  - 1. Location of facility (name and address).
  - 2. Phone number from which the call is being made.
  - 3. Type of emergency (fire, medical, chemical, vehicular).
  - 4. Extent of emergency.
  - 5. Do not hang up first; let the person you called hang up first.
- Have you identified a list of your utility's confined spaces and potential hazards, and depth at entry?
- Do you know if confined space has a "Confined Space Entry" permit?
- Have personnel been trained in confined space entry?
- Are you aware of the OSHA reporting guidelines in the event of a fatality or multiple hospitalization incident?

## Mitigation To Do List

Required Action:
12.
13.
14
15
16
17.
18.
19.
20.
21.
22.

Medical

When a medical emergency arises it is very important that your response does not further endanger the victim or yourself. Do not administer first aid or CPR unless you have been properly trained. Only move the victim if a life-threatening situation exists. Unnecessary movement could result in increased severity of the injuries.

In the *Telephone numbers* section, determine whether your utility is located within the 911 emergency access area. If it is not, fill in the appropriate telephone number for fire (medical response), ambulance and IOSHA.

In the *Worker's compensation* section, record your utility's worker's compensation carrier and agent, and the agent's work and home phone numbers.

In the *Confined space* section, list confined spaces at your utility, their potential hazards, depth, and the size of the access opening. Also indicate if the confined space is permitted or non-permitted. Permitted confined space means that unremoveable hazards are present (hazards can be atmosphere, moving machinery, and converging walls, etc.). At least two people with proper equipment must be available before entry. Non-permitted confined space means that hazards do not exist or are controlled before entry.

In the Chemicals section, list the type and location of each chemical stored in your facilities.

Use the *Family notification* section to list who should be contacted in case of a medical emergency.

In the *First aid kit and confined space locations* section, detail where first aid kits and confined spaces are located.


#### **Emergency Response Sheet**



# Medical

	Telephor	e numbe	rs				
Fire							
911 OR	911 OR		1-800-562-4692	2 OR 1-515-281-5668			
	Worker's c	ompensa	tion				
Name of company	Agent's name	Work	phone number	Home phone number			
	Confin	ed space					
Location	Potential hazard	Depth	Access size	Permitted/Non-permitted			
				□Permitted □Non-permitted			
				□Permitted □Non-permitted			
				□Permitted □Non-permitted			
			□Permitted □Non-permitted				
Chemicals							
Name Location Name Location							
	Family r	otificatio	n				
Employee name	Contact		Telephone	Address			

	F	irst	aid	kit	and	conf	ined	space	locat	ions
--	---	------	-----	-----	-----	------	------	-------	-------	------




#### **CAUTION**

GET OR HAVE OTHERS GET MEDICAL ASSISTANCE TO THE SCENE. PROTECT YOURSELF FROM BLOODBORNE PATHOGENS.



IF THE PERSON IS IN A CONFINED SPACE, DO NOT ENTER THE SPACE TO PERFORM UNASSISTED INTERNAL RESCUE.

# **Trouble Shooting Guide**



Medical

Required Action:	
1. <u> </u>	
2.	
3	
4	
5	
6.	
7.	
8	
9.	
10.	
11.	

Comments:	

# Place Index Divider Here Chapter 11 Personnel Succession

### Things to Consider Before an Emergency

#### Chapter 11: Personnel Succession

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Does your utility have a mutual aid agreement for personnel support?
- Is someone in the community cross-trained and evaluated as an operator?
- What is the telephone and address of the newspaper for personnel recruitment?
- Does the IDNR have a list of eligible candidates who can be recruited?
- Is there a local plumber or contractor available who can provide temporary manpower assistance?
- Will the contracted laboratory provide temporary testing and sampling assistance?

## Mitigation To Do List

equired Action:	
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
0.	
1	

### **Emergency Response Sheet Instructions**

#### Personnel Succession

By law, a water utility must be operated by a certified operator. In the event of staff termination, a replacement needs to be found immediately. Cross-training among staff members can help to alleviate some of the problems caused when an operator leaves your utility.

In the Mutual aid section list organizations that can assist you by providing qualified personnel.

In the *Services* section, list newspapers where advertisements can be placed, laboratories where you can contract for sampling and testing services and plumbers, contractors, etc. who can provide you with temporary assistance.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.

# **Emergency Response Sheet**



# **Personnel Succession**


			Mutua	ıl aid			
Name		Utility		Те	lephone	After-hours tele	ephone
	-		Serv				
Services provided	Nam	ne	Comp	any	Telephone	After-ho	ours
Organizational ch	ort					Operator in	chargo
Organizational Cit	art					grade red	uired
						Shift ope	rator
						grade red	uired
						1	

CAUTION

WHEN EMPLOYEES NEED TO BE REPLACED, BE SURE YOUR TEMPORARY OR PERMANENT REPLACEMENT EMPLOYEES HAVE THE NECESSARY QUALIFICATIONS AND LICENSES, IN ORDER TO KEEP THE PUBLIC WATER SUPPLY SAFE.

REMEMBER SAFETY FIRST

necessary licensing



<sup>\*</sup>These may include board chair, mayor, council members, utility managers, IDNR, etc.

### **Personnel Succession**

Required Action	:		
1			
2			
3			
4			
5			
6			
/			
0			
9			
10			
11			
Comments:			

# Place Index Divider Here Chapter 12 Terrorist / Vandalism

## Things to Consider Before an Emergency

#### Chapter 12: Terrorism/Vandalism

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the **Mitigation To Do List**. To further decrease your utility's vulnerability, complete an **Emergency Response Sheet**, **Trouble Shooting Guide** and **Response/Recovery To Do List** for each specific emergency.

- Has your facility completed a Vulnerability Assessment (VA)?
- Has the risk analysis been analyzed for methods to reduce risk?
- Does your facility utilize a tiered security program that reflects the threat level of the Department of Homeland Security advisories?
- Have you addressed emergency procedures for contamination of your system? Do you
  have procedures in place to rapidly respond to complaints of taste and odor? See the
  chapter 15 of this plan titled Water Contamination.
- Has your facility analyzed electric power requirements and planned for alternative sources if the grid fails? See chapter 4 in this plan called Electric Power Failure.
- Has your facility addressed procedures for employees when threats are received?
   Threats can be directed at bombs, violence, contaminants, etc. See chapter 13 in this plan called Threats.
- Do you have a neighborhood watch program to keep citizens alert to people tampering with water system?
- Have all of your employees been trained in identifying suspicious individuals, addressing strangers, and emergency notification procedures?
- Have all of your employees been trained to identify and report acts of vandalism and terrorism?
- Do your hiring practices include pre-employment background checks?

## Mitigation To Do List

Required Action:		
1		
2.		
3.		
4.		
5.		
6.		
7.		
8.		

## **Emergency Response Sheet Instructions**


Terrorism/Vandalism

Terrorism Defined: An individual or a group with the motivation and capability for theft or sabotage of assets, or other malicious acts that would result in the loss of assets, destruction of consumer confidence, or illness/death of your customers. The act of terrorism can be a carefully executed plan that destroys your facilities or may be as simple as a phone call to the press indicating the presence of a contaminant in your water system. Your facility must have a plan to effectively deal with the situation.

Terrorists are classified into three groups of individuals; insider, outsider and vandals. Each group may have motives that are different but each can easily destroy equipment, disrupt your service or cause mayhem with your customer base. The attack itself, if physical, will create a situation similar to emergencies your facility has already planned for in other chapters. A terrorist may strike your power supply, damage equipment, or contaminate your water.

Your facility's Vulnerability Assessment will point out weaknesses in your system. These weaknesses should be the starting point of analyzing your risk and developing solutions to lessen the consequences of terrorism or vandalism. A well executed plan to mitigate these consequences can mean the difference of hours versus weeks when restoring water services within your system.

Telephone numbers					
Sheriff	Police	Fire	Ambulance	FBI	
911	911	911	911	Omaha Region Office (402)493-8688	



Terrorism

Required Action	n:		
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
Comments:			

# Place Index Divider Here Chapter 13 Threats

## Things to Consider Before an Emergency

#### Chapter 13: Threats

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Has your facility addressed procedures for employees when threats are received? A threat can be related to a bomb, violence or contaminants in your water system.
- Who should be called when a threat is received?
- What are the procedures that deny access to unauthorized personnel?
- Do you have procedures for handling suspicious letters and packages?
- Are all packages and materials inspected before taken into critical areas?
- Are you aware of objects, items, or parcels which look out of place or suspicious?
- Can local law enforcement agencies help develop a response plan?
- Are good housekeeping practices maintained?
- Is there a threat checklist by the phone(s)?
- Is staff trained on how to respond to a threat?
- How will staff be alerted in the event of a threat?
- What evacuation procedures are in place for threats?
- Have you identified gathering points for employees based on various threats?

### Mitigation To Do List

equired Action:	
1.	
2.	
3	
4.	
5.	
6.	
7.	
8.	
9.	
0.	
1.	

### **Emergency Response Sheet Instructions**

**Threats** 

A threat can be delivered in a variety of ways. Threats may be received by telephone, in person, mail or with suspicious packages left in an area. Threats may or may not include the location of the target, the time for detonation or release, or an ultimatum related to the release or detonation of the device. Bombs can be constructed to look like almost anything. Threats of contamination may or may not include the location of the possible contaminants. The raw water or finished water system could be attacked...

In the *Threatening Phone Call Checklist* section, record the date, time and content of a threat. Include descriptive information about the caller. Complete the information on who to notify, located near the bottom of the page. Keep the checklist available near frequently used telephones.

In the *Evaluation team* area list the names and telephone numbers of the team members who would be called to assess the threat.

In the *Public accessible areas to be searched* section list the facility(ies) and area(s) within the facility that need to be searched.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.

# **Emergency Response Sheet**

**Threats** 

#### Threatening Phone Call Checklist

Please follow the below procedures in the event you are the recipient of a threatening phone call. Try to keep the caller on the line to obtain as much information as possible. Remain calm and courteous. <u>Listen</u>; do not interrupt the caller. Record as much information as possible, including:

1.	What kind of threat is posed?
A.	Contamination: What kind of contaminant?
	How much?
B.	Physical Damage: What kind of damage?
	What kind of device?
C:	Who is the threat directed at?
2.	Where?
3.	When?
4.	Why?
5.	By whom?
6.	What is the (caller's) name?
7.	What is the (caller's) affiliation, if any?
8.	What is the (caller's) address/phone#?
9.	What is the exact wording of the threat?
10.	Is the callermalefemalewell spokenilliteratefoulirrationalincoherent coherent
11.	Is the caller's voicecalmangryslowrapidsoftloudlaughing
	cryingdeliberatenormalslurrednasalclearlispingstutteringdeep
	highcrackingrationalemotionalexcitedyoungoldapprox. age
	familiar - who did it sound like?
	accented – what nationality, region?
	Is the connection clear?(Could it have been a wireless or cell phone?)
13.	Is there background noise?Street noises?what kind?
	Machinery – what type?
	Voices - describe
	Children – describe
	Animals-what kind?
	Computer keyboard/office
	Music – what kind?
	TrainsAirplanesParty atmosphereQuiet
	Other
Nar	me of person receiving call:Date:Time:
	(a.m.) (p.m.)
No	tification Personnel
Wa	ter Dept. Manager: work phone number, cell phone number
	lice 911

Telephone numbers				
Sheriff	Police	Fire	Ambulance	
911	911	911	911	
Evaluation team		Public accessible are	eas to be searched	
Name	Telephone			






WHEN SEARCHING FOR A BOMB, SUSPECT ANYTHING THAT LOOKS UNUSUAL. LET A TRAINED BOMB TECHNICIAN DETERMINE WHAT IS OR IS NOT A BOMB. DO NOT REMOVE, MOVE, OR HANDLE THE BOMB, OR SUSPECTED OBJECT ONCE IT HAS BEEN DISCOVERED.

DO NOT USE RADIOS, REMOTE TELEPHONES OR ANY CELLULAR OR PORTABLE EQUIPMENT THAT USES RADIO FREQUENCIES IN THE VICINITY OF THE BOMB THREAT.

REMEMBER SAFETY FIRST

# **Trouble Shooting Guide**



<sup>\*</sup>These may include board chair, mayor, council members, utility managers, IDNR, etc.

Threats

Required Action:	
1	
۷	
3	
Δ	
4	
5	
6. <u> </u>	
_	
0	
8	
9	
10.	
10.	
11	
•	
Comments:	

# Place Index Divider Here Chapter 14 Thunderstorm & Tornado

## Things to Consider Before an Emergency

#### Chapter 14: Thunderstorm & Tornado

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- What notification procedures are in place for alerting the community of severe weather? Who initiates the alarm? How is your utility notified?
- Where is the activation alarm located?
- What procedures are used to notify employees of severe weather conditions?
- Where are the designated "safe" shelter areas in your facility? Interior rooms and hallways away located on the lowest level, away from windows, equipment or hazardous materials, are best.
- Are there employees trained who can administer first aid? Who will call for medical assistance if required?
- How will existing weather conditions be monitored? Is scanner or weather radio equipment available?
- Do all personnel know the difference between a "watch" and a "warning" condition?

## Mitigation To Do List

Required Action:	٦
9.	
10. <u> </u>	
11. <u> </u>	
12. <u> </u>	
13. <u> </u>	
14. <u> </u>	
15 <mark>.</mark>	
16 <mark>.</mark>	
17 <mark>.</mark>	
18 <mark>.</mark>	
19.	П

### **Emergency Response Sheet Instructions**

#### Thunderstorm & Tornado

When notified of a severe thunderstorm, all employees should seek the nearest protected area. Protected areas could consist of a vehicle, a building or any sound structure that would protect the employee from the elements.

In a tornado warning situation, once the Civil Defense Alarms are sounded, the employee should seek the nearest available public shelter and exit all vehicles.

In the *Employee notification* section, list the procedures to follow when the severe weather alarm is sounded.

In the *Telephone numbers* section, list the agencies and their telephone numbers that can provide direct forecasts.

In the *Diagram of shelter areas* section, draw a sketch of your facility and showing the shelter areas are.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.



# Thunderstorm & Tornado


Employee notification					
Thunderstorm warning	Tornado watch	Tornado warning			
Telephone numbers					
National Weather Service	Sheriff/Police				
ivational weather Service	Sheriii/Police				

Diagram of shelter areas	

CAUTION

THUNDERSTORMS AND TORNADOES CAN CAUSE INJURY AND DAMAGE FACILITIES. STAY TUNED TO WEATHER CONDITIONS DURING SEVERE WEATHER INCIDENTS. WHEN A TORNADO WARNING IS SOUNDED, PROCEED TO THE NEAREST SHELTER AREA. STAY IN THE SHELTER AREA UNTIL THE **ALL CLEAR SIGNAL** IS GIVEN.

# **Trouble Shooting Guide**



### Thunderstorm & Tornado

<b>—</b> 1 1 2 2	
Required Action:	
1	
۷	
3	
4	
5	
6	
7	
8.	
8 9.	
9	
10	
11	
Comments:	

# Place Index Divider Here Chapter 15 Water Contamination

## Things to Consider Before an Emergency

#### **Chapter 15: Water Contamination**

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- Is there a public notification plan?
- Do you have a listing of all major highways and railways in your area?
- Is there a list of your utility's treated water quality information?
- Is there a list of alternate sources of treated water?
- Is staff trained in the proper techniques of providing quality water in case of a contaminated water situation?
- Do you have a list of water haulers?
- Have you made mutual aid agreements with any neighboring communities?
- Are you aware of possible contaminants in the surrounding area that influence the quality of your raw water source(s)?
- Do you have a list of water sampling and testing laboratories?
- Is your staff trained in proper sampling and testing techniques?
- Does your staff have an understanding of what needs to be done if your water storage or distribution systems become contaminated?

### Mitigation To Do List

equired Action:
1.
2.
3.
4
5. <u> </u>
6.
7.
8.
9.
0.
1.

## **Emergency Response Sheet Instructions**

#### Water Contamination

The first step in analyzing the quality of the water being delivered to your customers is the collection of samples. The selection of representative sample points within the distribution system is an important initial step in accurately reflecting water quality and identifying sources of contamination. One of the most common causes of error in water quality analysis is improper sampling.


In the *Public notification* section, list those agencies that need to be alerted of any health risks related to water contamination. This includes the regional IDNR office. It may also include an independent laboratory, contracted to conduct sampling and testing. Include their telephone, after-hours telephone, e-mail and fax numbers for these agencies.

In the *Media* section, list local media agencies, their contact person, email, telephone and fax numbers.

Check the *EPA public notification guidelines* section to ensure your water quality statistics comply.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.

#### **Emergency Response Sheet**



# **Water Contamination**

	Public notification			
Contact person	Agency	Telephone	After-hours telephone	Fax
	Regional Iowa Department of Natural Resources			
	Laboratory			
	Iowa Department of Public Health			
	County Department of Public Health	(515) 281-4933	(515) 247-1732 (pager)	
Media				
Contact person	Company	Telephone	After-hours telephone	Fax


EPA public notification guidelines				
Violation category	Type	Notice must be Given within*	Frequency of notice	
Tier 1  1. Failure to comply with a Maximum Contaminant Level (MCL)  2. Failure to comply with a treatment technique requirement established in lieu of an MCL  3. Failure to comply with a schedule prescribed under variance or exemption  Tier 2	Newspaper Mail or hand deliver	14 days 45 days	No repeat  Quarterly (as long as violation continues	
Failure to comply with monitoring requirements     Failure to comply with specified testing procedures     Operating under a variance or an exemption	Newspaper	3 months	Quarterly; but only by mail or hand delivery as long as violation continues	

<sup>\*</sup> Radio and television stations must be notified within 72 hours if an MCL violation poses an acute (immediate) health risk.

CAUTION

ANY WATER CONTAMINATION SITUATION SHOULD BE TAKEN SERIOUSLY. PEOPLE CAN BECOME SICK, OR EVEN DIE.





### Water Contamination

1	3. 4. 5. 6. 7.			
1	1	Required Action:		
2.         3.         4.         5.         6.         7.         8.         9.         10.         11.	3. 4. 5. 6. 7. 8. 9. 10.			
3.         4.         5.         6.         7.         8.         9.         10.         11.	3.         4.         5.         6.         7.         8.         9.         10.         11.	2		
5. 6. 7. 8. 9.	5. 6. 7. 8. 9. 10. 11.	3		
5. 6. 7. 8. 9. 10. 11.	5. 6. 7. 8. 9. 10.	J		
6	6. 7. 8. 9. 10. 11.	4		
7	7. 8. 9. 10. 11.	o		
7	7. 8. 9. 10. 11.	0		
9. 10. 11.	9. 10. 11.	/		
9	9. 10. 11.	0		
10 11	11	9		
11.	11.	10		
		11		
Comments:	Comments:			
Comments:	Comments:			
		Comments:		

# Place Index Divider Here Chapter 16 Water Main Break

# Things to Consider Before an Emergency

### Chapter 16: Water Main Break

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- What is the size and location of water storage tanks for your community? (List size, location, and valve location.) What is the normal water level in each storage tank?
- How long can you serve customers from storage alone?
- Where are pump stations and wells located? (List size and valve location.)
- What are the normal discharge pressures at the pump station(s)?
- What is the size, depth, and location of critical water mains?
- Where are the critical valves located? What is the valve type, number, and direction of required turns?
- What types of repair parts are in stock or locally available?
- Where can repair parts be obtained that are not available locally?
- Is a periodic valve and hydrant operation program in place to insure proper operation?
- Is the distribution map part of the emergency plan?

# Mitigation To Do List

Required Action:
1.
2.
3
4.
5.
6.
7.
8.
9.
10.
l1 <mark>.</mark>

# **Emergency Response Sheet Instructions**

### Water Main Break

When a water main has failed, isolation of the break is important to maintain water capacity in the water storage facilities and to minimize the risk of water contamination in the distribution system. Information concerning the size of mains, pipe materials, valve locations, valve sizes, number of turns and direction to operate valves, and location of nearby hydrants is essential for recovery procedures. To begin, notify ONE-CALL and then initiate repair activities. Notify major customers affected by the main break and implement conservation measures if needed.

In the section titled *Critical water mains*, list the location, size, and water pressure that is maintained for the various water mains in the distribution system. This information can be used to compare significant drops in water pressure. (Note: pressure at the plant and/or water level in the storage tank may be the only data available to monitor changes in pressure and indicate a possible main break.)

In the *Customers on critical main(s)* section, list the name, address and telephone number of the user on the critical mains listed to the left. This information will be needed if the water main break has an impact on their operations. Critical customers may include hospitals, health care facilities, or large commercial or industrial customers.

In the *Water storage facilities* section, list the location and capacity of each water storage facility. Capacity should reflect the number of gallons that can be stored in the storage facility. Also identify the type of water storage facility, whether it is above ground, elevated tank, etc.

In the *Critical valves* section, list the location, size, the number and direction of turns needed to operate the valve(s) in order to isolate a water main break.

In the *Diagram of distribution system* section, make a note to refer to the map(s) of your distribution system. List the map(s) that you have included in your emergency plan.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.



# Water Main Break

Critical water mains		Custor	mers on c	ritical ma	in(s)		
Street		Size	Pressure	Name	Addı		Telephone number
							·
Water s	torag	e facil	ities	Critical valves			
Location	Car	acity	Type	Location	Size	# of	Direction of turn
		lons)	71			turns	
	(3"	,					


# Diagram of distribution system Refer to distribution map(s) in this plan, listed below:



A MAJOR WATER MAIN BREAK CAN CAUSE SUBSTANTIAL DAMAGE. PROTECT PROPERTY WHEN POSSIBLE. DO NOT ENTER FLOODED BASEMENTS AND OTHER FACILITIES BECAUSE OF THE RISK OF ELECTRIC SHOCK AND LEAKING NATURAL GAS.

REMEMBER SAFETY FIRST

cave-in hazard



# Response/Recovery To Do List

Water Main Break

Required Action:	
1	
2	
3	
4	
J	
0	
7. <u> </u>	
8	
9	
10.	
11	
Comments	
Comments:	

# Place Index Divider Here Chapter 17 Water Shortage

# Things to Consider Before an Emergency

### Chapter 17: Water Shortage

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete and *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- What are the alternate raw water source options?
- What is the storage capacity of these sources?
- What well/stream level indicates low water source?
- What other finished water supplies are available?
- What conditions of supply and demand indicate a water shortage?
- Is there a conservation plan that addresses water shortage conditions as required by state law?
- What are the critical water user demands?
- Is the minimum flow rate achievable through water conservation?
- What well or stream level is critical for meeting normal water demand?

# Mitigation To Do List

equired Action:
1.
2.
3.
4
5
6.
7.
8.
9.
0.
1

# **Emergency Response Sheet Instructions**

Water Shortage

A water shortage can occur due to changes in climate and equipment failure. Not being able to provide an adequate supply of water to your customers can have an impact on their daily lives and on business operations. In these instances, public safety and the health of your customers is most important.

In the County Emergency Coordinator section, enter the name of the contact person, and list the name of the agency, telephone and fax numbers for the Emergency Coordinator in the county in which your utility is located.

In the *Media* section, list the name of the person to contact, the name of the company, and the telephone and fax numbers used for public information notification.

In the Conservation plan section, list the steps your utility will take to take care of the shortage.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.



# Water Shortage

County Emergency Coordinator						
Contact person	Agency	Telephone	After-hours telephone	Fax		
Media Media						
Contact person	Company	Telephone	After-hours telephone	Fax		

### Conservation plan (as outlined in Code of Iowa 455B.266)

Suspend or restrict usage of water by category of use on a local or state-wide basis in the following order:

- 1) Water conveyed across state boundaries.
- 2) Uses of water primarily for recreational or aesthetic purposes.
- 3) Uses of water for the irrigation of hay, corn, soybeans, oats, grain sorghum or wheat.
- 4) Uses of water for the irrigation of crops other than hay, corn, soybeans, oats, grain sorghum or wheat.
- 5) Uses of water for manufacturing or other industrial processes.
- 6) Uses of water for generation of electrical power for public consumption.
- 7) Uses of water for livestock production.
- 8) Uses of water for human consumption and sanitation supplied by rural water districts, municipal water systems, or other public water supplies as defined in section 455B.171 of the Code of Iowa.
- 9) Uses of water for human consumption and sanitation supplied by a private water supply as defined in section 455B.171 of the Code of Iowa.

Attach your utility's conservation plan




DURING TIME OF WATER SHORTAGE, CONTACT YOUR FIRE DEPARTMENT AND KEEP THEM UPDATED ON THE SITUATION.

REMEMBER SAFETY FIRST

fire hazard

# **Trouble Shooting Guide**



# Response/Recovery To Do List

Water Shortage

Required Action:	
1	
2.	
3.	
4	
4	
56.	
7	
8	
9	
10	
11	
Comments:	

# Place Index Divider Here Chapter 18 Water Tower Icing

# Things to Consider Before an Emergency

### Chapter 18: Water Tower Icing

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- What steps can be taken to ensure the water continues to move in the tank?
- Will increasing the variation in the water level keep the water from freezing?
- Are water levels adjusted for winter capacity?
- If icing occurs, what process and equipment will be needed to melt the ice?
- Are storage tanks regularly inspected for internal and external wall damage, chipped or peeling paint, changes to cathodic protection, damage to ladders, damage to riser pipe, or damage to the overflow pipe inside of the tank?

# Mitigation To Do List

Required Action:	
1.	
2	
3	
4.	
5.	
6.	
7	
8.	
9.	
10.	
11.	

# **Emergency Response Sheet Instructions**

**Water Tower Icing** 

Freezing water in water storage tanks can be a serious problem. Freezing is more likely in systems using surface water sources. However, groundwater supplies can also experience icing problems in storage tanks during very cold weather.

In the *Elevated water storage information* section, list the manufacturer, tank capacity, and winter and summer water level settings. Also, list the location of the tower sensor elevation, its location and overflow elevation.

In the *Location of elevated tank(s)* section, diagram the location of your storage tank(s) in your distribution system.


The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.



# Water Tower Icing

	Telep	hone Numbers	
Fire department 91	1 OR	Sheriff/Police	911 OR
	Elevated wat	er storage informati	on
Tower information	Tower #1	Tower #	#2 Tower #3
Manufacturer			
Capacity			
Water level settings	winter summer	Winter summer	winter summer
Sensor elevation			
Sensor location			
Overflow elevation			
	Elevated wat	er storage informati	on
Tower information	Tower #4	Tower #	#5 Tower #6
Manufacturer			
Capacity			
Water level settings	winter	Winter	winter
Sensor elevation			
Sensor location			
Overflow elevation			


### Location of elevated tank(s)





TO REDUCE THE RISK OF INJURY, DO NOT ATTEMPT TO CLIMB ELEVATED TANKS WITHOUT THE APPROPRIATE SAFETY EQUIPMENT. IF HEAVILY LOADED WITH EXTERIOR ICE, STRUCTURAL FAILURE COULD BE A RISK.

REMEMBER SAFETY FIRST



# Response/Recovery To Do List

Water Tower Icing

Required Acti	on:		
4			
2			
3			
4			
5.			
0			
ŏ			
9			
10			
11.			
• .			
Comments:			

# Place Index Divider Here Chapter 19 Workplace Violence

# Things to Consider Before an Emergency

### Chapter 19: Workplace Violence

To reduce your water utility's exposure in an emergency, use the following suggestions and complete the *Mitigation To Do List*. To further decrease your utility's vulnerability, complete an *Emergency Response Sheet*, *Trouble Shooting Guide* and *Response/Recovery To Do List* for each specific emergency.

- What security measures are in place to deter violent acts?
- Have you talked with local law officials about violent acts or what constitutes workplace violence?
- Can local law enforcement agencies assist in developing security measures for violent threats?
- Is there a communication process to alert others if there is a threat of violent behavior?
- Do you know the warning signs of potentially violent employees and customers?
- What utility assets need to be protected?
- What are the priorities for providing protection of these assets?
- How fast can your utility respond to a violent act?
- Is there written policy that clearly communicates how threats will be handled?
- Has telephone training been provided for irate callers?
- Are you contracting with an agency for employee counseling and mediation services?

# Mitigation To Do List

Required Action:	
1.	
2.	
3.	
4	
5.	
6.	
7.	
8.	
9.	
0.	
1.	

# **Emergency Response Sheet Instructions**

### Workplace Violence

Incidents of workplace violence may include kidnapping, robbery, theft, and physical assault involving a co-worker or customer. In extreme cases, assassinations or arson can occur.

In the *Telephone numbers* section, determine whether your utility is located within the 911 emergency access area. If it is not, fill in the appropriate telephone number for the sheriff, police, fire and ambulance departments for your area.

Review the *Early warning signals* section for helpful information.

The *Trouble Shooting Guide* is located on the back of the *Emergency Response Sheet* and is designed to assist you in preparing your first plan of action.



# Workplace Violence

Telephone numbers					
Sheriff	Police	Fire	Ambulance		
911 OR	911 OR	911 OR	911 OR		

### Early warning signals

- Direct or veiled verbal threats of harm.
- Intimidation of others. (This can be physical or verbal intimidation. Harassing phone calls and stalking are obvious examples.)
- Carrying a concealed weapon or flashing a weapon to test reactions.
- Paranoid behavior. Perceiving that everyone is against them.
- Moral righteousness and believing the organization is not following the rules and procedures.
- Unable to take criticism of job performance. Holds a grudge, especially against a supervisor.
   Often verbalizes hope for something to happen to the person against whom the employee has the grudge.
- Expression of extreme desperation over recent family, financial, or personal problems.
- History of violent behavior.
- Extreme interest in semi-automatic weapons and their destructive power to people.
- Fascination with incidents of workplace violence and approval of the use of violence under similar circumstances.
- Disregard for the safety of co-workers.
- Obsessive involvement with the job, often uneven job performance and no apparent outside interests.
- Being a loner who has a romantic obsession with a co-worker who does not share this interest.


CAUTION

WHEN A THREAT IS MADE, TAKE IT SERIOUSLY AND CONTACT PROPER AUTHORITIES.



REMEMBER SAFETY FIRST

# **Trouble Shooting Guide**



# Response/Recovery To Do List

# Workplace Violence

Required Action:	
1	
2	
3	
4	
5	
6	
7	
7	
8	
9	
10.	
10	
11	
Comments:	
Comments.	

# Place Index Divider Here Chapter 20 Implementing Emergency Planning

# Chapter 20: Implementing Emergency Planning

### Planning Emergency Response Training

Training in emergency preparedness cannot be taken for granted. In emergency situations, people don't always react or think clearly; having experienced "dry-runs" or some other type of advanced exposure to likely emergencies will help to minimize confusion in a real emergency. Through training, people will have the opportunity to go through thought processes and form habits that can be followed when immediate responses are required.

By completing the fill-in-the blank forms contained in the previous section of this model plan, your community or utility can create its own unique emergency preparedness plan. These same forms, particularly the *Failure Analysis* and *To Do Lists* prepared for each *Emergency Response Sheet*, can serve as the basis of your utility's emergency training plan. The training plan should identify who is to be trained, who will provide training, what types of training techniques are to be used, a schedule for training activities, and how the training will be evaluated to see if objectives were met.

It is important to prioritize training needs to address those areas where your utility or community may be most vulnerable. The *Failure Analysis* rating will identify those emergencies most likely to occur or affect your utility. Training needs associated with the highest priority emergency will also be of highest priority. In addition to prioritizing training, it is important to consider all emergency response roles that may require some education. For example, if a water main break is determined to be the highest ranking emergency, then training needs for each person/role involved in a water main break emergency response should be evaluated. The operator (or team member responsible for the Operations Management key responsibility) may require additional technical skills, or the mayor (or team member responsible for Public Communications) may need exposure to field repair conditions in order to communicate appropriately with the public or media.

In addition to training that may be needed related to a specific emergency, more extensive emergency training will likely be needed for Emergency Response Team members, especially as these roles shift from one person to another. This broader training should cover the individual emergency roles and duties established for each person, basic emergency notification procedures, basic communication plans, evacuation routes and shelter provisions, location of commonly used equipment, and procedures to be followed if a utility shutdown is required.

The *Training Plan* form included in this model plan will assist in recording training needs, priorities, and schedules. With a documented training plan, your utility can incorporate emergency response training into regular business processes and budgets as they are developed.

# Training Plan

Name	Training needed	Trainer	Training technique	Schedule	Evaluation technique
(staff/community member)	(topic)	(internal/ external)	(workshop/clas s)	(month/year)	(post-test/ observation)

### **Conducting Emergency Response Training**

Your utility does not have to spend large amounts of money to prepare Emergency Response Team members to fulfill their duties. Remember, utility personnel are often very knowledgeable about their community and the resources available in your utility or community to address an emergency. Use the resources available to begin training efforts, and bring in assistance from outside experts when it is needed.

Emergency response training can be provided in many forms. Organizations have used: orientation sessions, discussion groups, reading materials, tabletop exercises, scenarios, walk-through exercises or drills, demonstrations, external seminars, mock emergencies, etc. Depending on the specific need, one form of training may be more effective than another. To help team members become more familiar with broader emergency matters, such as notification routines or shelter sites, group question and answer sessions may work well. For specific emergency responses, more of a "hands-on" method may be needed, such as tabletop scenarios or walk-through exercises. These are also extremely valuable tools to discover details not considered when preparing *Emergency Response Sheets* or *To Do Lists*. Choose the tool that best fits the particular training need and the people to be involved in the training.

Once a training session has been conducted, it is important to determine whether it achieved what was intended. Every training activity should be concluded with an evaluation of the training materials and methods to allow for fine-tuning. Additionally, a means of follow-up should be in place to ensure training needs have been satisfied. For example, if an operator needed technical training in water main repair, check to see if that team member can demonstrate the new ability learned from the training.

Training records, in some form, should be maintained for all members of the Emergency Response Team. By keeping track of this information, your utility can easily identify someone to serve in a back-up capacity for another team member, or identify how duties can be shifted to others.

### **Updating and Administering the Plan**

As with any business that experiences change, water utilities can expect their emergency preparedness plans to become outdated. And, without up-to-date information, the plan will become useless as an aid in an emergency response. Therefore, it is recommended the plan be reviewed, and potentially modified, at least on an annual basis. The annual process should include:

- Review of the Failure Analysis Be sure the emergency rankings from the previous analysis are accurate, and rerank, if necessary. Is the Failure Analysis list still complete, or should other emergencies be added to it? If actions taken in response to the To Do Lists or to fulfill the Training Plan cause these rankings to change, make the appropriate adjustments and reprioritize emergencies.
- Review Progress Toward To Do Lists Determine if items listed on the To Do Lists
  have been accomplished. Delete items accomplished or no longer necessary due to

changes in operation or structure. For incomplete items remaining on the list, evaluate why those items were not achieved, make appropriate changes to allow them to be completed, and determine new priorities and schedules for completion.

- Review *Emergency Response Sheets* and *To Do Lists* Consider how changes in team members, facilities, operational procedures, resources, and community officials may have affected the information contained in these forms. Update forms with appropriate information.
- Review *Training Plan* and Individual Training Evaluations Determine if activities listed on the *Training Plan* have been accomplished. Delete items accomplished or no longer necessary due to changes in operation, personnel, or community resources. Consider the results of the training evaluations and determine changes needed in future programs to better meet the needs of participants. For training activities which were not completed, evaluate why those activities were not conducted, make appropriate changes to allow them to be completed, and determine new priorities and schedules for completion based upon the revised *Failure Analysis* and *To Do Lists*.

The *Water Supplier General Information Sheet* should be reviewed monthly for up-to-date names and telephone numbers. Additionally, Emergency Response Team members should be aware of their responsibility to notify the person responsible for maintaining the plan whenever this basic contact information changes. If team members move, obtain new telephone numbers, or are no longer available for after-hours contact, the *Water Supplier General Information Sheet* should be updated immediately.

Specific events may occur which should cause the plan to be updated (and appropriate training to occur) without waiting for the annual review process. Examples may include: changes in water utility personnel, election of new utility or community officials, new facilities placed in operation, or significant operational changes.

### Communicating the Plan to Others

The emergency preparedness plan for your utility needs to be communicated in a variety of ways. First, it must be written and distributed to the appropriate people in the community. Copies of the plan should be provided to members of the Emergency Response Team, utility officials, community officials, and representatives of other emergency organizations in the community, such as fire and police departments. As your utility goes through the annual review and updating process, revised copies of the plan or individual pages should be distributed. Also, it is important that Emergency Response Team members have copies available not only at their business or daytime locations, but also in their homes. Emergencies don't always occur during regular business hours so the plan information should be accessible to team members day and night.

Beyond circulation of the written plan, it is important to present the plan to your utility staff, community officials, and other community groups. Part of the presentation should include identifying the people who will serve in each of the key emergency responsibilities. By introducing team members to the community, a first step is made in assuring the public that

your utility will be prepared to do what is necessary to provide them with safe drinking water when an emergency does occur. Another benefit of sharing the plan within the community is the possible identification of additional resources, people and equipment, that may be available to help. In sharing the plan, special attention should be paid to educating consumers about their roles in the emergency response. Examples of specific actions can be shared, such as emergencies that may need property owners to assist in isolating their water services, or checking for potential contamination sources.

The *Training Plan* should be presented to Emergency Response Team members and utility officials at least annually. This will ensure members and officials understand the priorities placed on training and encourage more support for achieving the training goals.

To meet the expectations of your customers, your utility and staff need to identify potential emergencies and plan for them. Emergency preparedness begins with identifying the emergencies most likely to occur at your utility, and then listing the people and other resources you need to have involved. By identifying contact people, telephone numbers and other information before an emergency, your utility can be prepared to respond when an emergency does occur.

Follow these steps to begin your emergency response planning:

- Record facts about your utility. By completing the Water Supplier General
  Information Sheet, you have identified your Emergency Response Team, and
  provided vital information about your utility's operation and emergency resources
  available.
- Anticipate emergencies. By completing the *Failure Analysis*, you and your team members can identify and prioritize emergencies most likely to occur at your facility.
- Plan for response. By completing the Emergency Response Sheets and Trouble Shooting Guides you and your team members will identify key individuals to assist in your emergency response. Using the Mitigation and Response/Recovery To Do Lists, will help you outline and prioritize step-by-step actions that need to be taken.
- **Train team members.** As you are completing the specific emergency forms, identify training opportunities for your team members. Use the *Training Plan* form to record these needs and how you plan to accomplish them.
- Keep your community informed. As always, the members of your community are
  part of the team, although they may not have an active role. Keep them involved by
  holding press conferences, making public announcements, and using other
  communication methods. Remember, your community is counting on you to provide a
  quality product and quality service, even during an emergency.